

Cortisol Regulator*

Stress Support Complex*

Cortisol Regulator* is a unique blend of extracts of magnolia and phellodendron (Relora®), combined with standardized extracts of ashwagandha, lemon balm, and German chamomile. It is formulated to promote a healthy mood and tranquility, restorative sleep, and a balanced response to stress.* It may also help support healthy eating habits and reduce digestive upset often associated with stress.*



In quick-release Plantcaps®

#78320 60 vegetarian capsules



800.545.9960 info@allergyresearchgroup.com www.allergyresearchgroup.com



Relora® has three peer-reviewed, randomized, double-blind, placebocontrolled publications demonstrating its ability to reduce cortisol levels and stress, and its positive effects on mood-state scores and weightmaintenance in stress eaters.* Cortisol is a steroid hormone produced in the adrenal glands that plays a crucial role in dealing with the body's response to stress, as well as helping to control blood glucose levels and support the immune response.* It is involved in the metabolism of proteins, fats, and carbohydrates.* Healthy cortisol levels can enhance good sleep, memory, mood, normal wound healing, electrolyte balance, and the handling of stress.*

Magnolia tree bark has been utilized for thousands of years in Traditional Chinese Medicine to address nervous tension, and modern research confirms this.* It also supports healthy sleep and moods.* Magnolia has significant antioxidant activity, as well as immune effects, in part through its support of glutathione production.* It also supports healthy circulation.* Magnolia bark extract can support healthy sleep quality, shortening the amount of time to fall asleep, and increasing rapid eye movement (REM) and non-REM sleep.* Magnolia active ingredients honokiol and magnolol have been shown to soothe stress and support healthy moods.

Phellodendron (Philodendron amurense), or Cork tree, is one of fundamental herbs in traditional Chinese medicine, traditionally used for the management of stress.* Its active components include berberine, palmatine, jatrorrhizine, and limonoids, most of which confer antioxidant activity.* Phellodendron has been studied for its support of cardiovascular health, healthy blood sugar within normal levels, and modulation of the body's normal inflammatory response.*

Ashwagandha can support both the brain's and the body's ability to deal with stress.* In one study involving adults with chronic stress, ashwagandha significantly reduced perceived stress levels, decreased

food cravings, and improved happiness, while also affecting objective markers like cortisol levels and weight.* It has been shown to mitigate the effect of loss of sleep on brain function, and research shows it may buffer the negative effects of sleep deprivation on cognitive function.* Because of its effects on the neurotransmitter gamma-aminobutyric acid (GABA), ashwagandha can enhance sleep quality.*

Chamomile is a nervine commonly used to make a calming cup of tea.* Chamomile can relax the mind, relieve temporary muscle tension, and support deep, restful sleep.*

Lemon balm has been used traditionally as a calmative, mediated through cholinergic modulation.* Lemon balm's antioxidant activity can inhibit lipid peroxidation, likely a result of its polyphenol compounds.* It also contains flavonoids, monoterpene glycosides, and triterpenoids.*

Serving Size	2 Capsules	
Servings Per Container	2 0000	30
Amount Per Serving	% Daily Value	
Relora® Proprietary Plant Extract Blend Magnolia officinalis (Bark) Phellodendron amurense (Bark)	250 mg	†
Ashwagandha (Withania somnifera) (Whole Plant) Extract (standardized to 5% Withanolides)	250 mg	1
Lemon Balm (Melissa officinalis L.) (Leaf/Stem) Extract (standardized to 6% Rosmarinic acid)	150 mg	1
Chamomile (Matricaria recutita) (Flower) (standardized to 1.2% Apigenin)	100 mg	t

Other ingredients: Hydroxypropyl methylcellulose, stearic acid, rice flour.

Suggested Use: As a dietary supplement, 2 capsules, one or two times daily with or without food, or as directed by a healthcare practitioner.

Warning: If pregnant or nursing, consult your healthcare practitioner before use.

Plantcaps® Is a trademark of Lonza or its affiliates. RELORA

Relora® is a Lonza trademark.

References:

Zhang et al. Zhongguo Zhong Yao Za Zhi. 2010 Aug;35(16):2061-4. Lee et al. Peptides. 2006 Sep;27(9):2069-74. Wang et al. J Zhejiang Univ Sci B. 2009 Apr;10(4):243-50. doi: 10.1631/jzus.B0820340.

Maruyama Y, Kuribara H. CNS Drug Reviews. 2000;6(1)35-44. Kuribara H, et al. J Pharm Pharmacol. 2000 Nov; 52(11):1425-9. Qiang LQ, et al. Arch Pharm Res. 2009 Sep; 32(9):1281-92. , et al. Prog Neuropsychopharmacol Biol Psychiatry. 2008 Apr 1: 32(3):715-25.

Alexeev M, et al. Neuropharmacol. 2012;62(8):2507-14. Lin YR, et al. J Biomed Sci. 2009 Oct 16;16:94. Chen CR, et al. Br J Pharmacol. 2011 Nov;164(5):1534-46. Magnolia officinalis. Plants for a Future [Internet]. Accessed May 9, 2021. Available at: www.pfaf.org/user/Plant. aspx?LatinName=Magnolia%20officinalis Kalman DS, et al. Nutr J. 2008 Apr 21;7:11.

Talbott SM, et al., J Int Soc Sports Nutr. 2013 Aug 7:10(1):37. Qu W-M, et al. Br J Pharmacol. 2012 Oct;167(3):587-98. Taira J, et al. Free Radic Res Commun. 1993;19(suppl 1): S71-7. Lindqvist D, et al. Psychoneuroendocrinol. 2017 Feb;76:197-205. Cuia HS, et al. Phytomedicine. 2007;14:696-700. Xue L, et al. Food Sci Nutr. 2020 Mar; 8(3):1554-61 Hu H, et al. Acta Pharmacol Sin. 2005 Sep;26(9):1063-8. Teng CM, et al. Thromb Res. 1988;50:757-65.

Choudhary D. et al. J Evid Based Complementary Altern Med.

Singh N, et al. Int J Crude Drug Res. 1982 Jan 1;20(1):29-35. Manchanda S, et al. Mol Neurobiol. 2017 May;54(4):3050-61. Kaur T, et al. Mol Cell Biochem. 2017 Mar;427(1-2):91-101. Kaushik MK, et al. PLoS One. 2017 Feb 16;12(2):e0172508 Candelario M, et al. J Ethnopharmacol. 2015 Aug 2;171:264-72. Dongre S, et al. Biomed Res Int. 2015;2015:284154

Sengupta P. et al. Reprod Biomed Online, 2018 Mar;36(3):311-326.Scholey A, et al. Nutrients. 3014;6(11):4805-4821 Kennedy DO, et al. Pharmacol Biochem Behav 2002;72:953-64. Perry EK, et al. J Pharm Pharmacol 1999;51(5):527-534. Triantaphyllou K, et al. Int J Food Sci Nutr 2001;52(4):313-31 Ivanova D, et al. J Ethnopharmacol 1-4-2005;96(1-2):145-150. Chung MJ, et al. Br.J.Nutr. 2010;104:180-188.Hohmann J, et al. Planta Med 1999;65(6):576-578.

Perry EK, et al. J Altern Complement Med 1998;4(4):419-428. Raines T, et al. AANA.J. 2009;77(1):33-36. Hanganu D, et al. Rev.Med.Chir Soc.Med.Nat.lasi 2008:112(2):525-529.

Ibarra A, et al. Phytomedicine. 2010;17(6):397-403 Kucera LS, et al. Proc Soc Exp Biol Med 1967;124(3):865-869. Herrmann EC, et al. Proc Soc Exp Biol Med 1967;124(3):869-874.Dimitrova Z, et al. Acta Microbiol Bulg. 1993;29:65-72.

Allergy Research Group® | 2300 South Main Street, South Salt Lake, UT 84115 | 800.545.9960 | info@allergyresearchgroup.com | www.allergyresearchgroup.com