EVENING PRIMROSE OIL





CLINICAL APPLICATIONS

- A High-Concentration Source of Gamma Linolenic Acid (GLA)
- Helps Maintain a Balanced Inflammatory Response
- · Supports Joint Mobility and Comfort
- · Supports Healthy Skin

ESSENTIAL OILS

The therapeutic value of evening primrose oil (EPO) comes from its gamma linolenic acid (GLA) content, which has a number of diverse health benefits. GLA, an omega-6 essential fatty acid, has been shown to promote blood circulation, improve fatty acid balance, and support a healthy cycle of inflammation. EPO has also been shown to support joint mobility and comfort and promote healthy skin. Each capsule includes 1,300 mg of cold-pressed, organically grown evening primrose oil and 117 mg of GLA, in a convenient, high-dose soft gel capsule.

Overview

Evening primrose oil has a high concentration of GLA, which supports the production of prostaglandin E1 (PGE1). Prostaglandins are important cellular messengers with a variety of strong physiologic effects, especially on the cardiovascular and immune systems. PGE1 is known to enhance vasodilation and support healthy blood circulation, promote healthy inflammatory balance and strengthen immune function. By making blood platelets slippery, allowing for better blood flow, PGE1 helps to support arterial and cardiovascular health. PGE 1 also helps in modulating cholesterol synthesis and maintaining normal blood pressure levels.

Depletion[†]

A large percentage of the population cannot efficiently convert dietary linoleic acid to GLA. There are a number of dietary factors and conditions which can inhibit the activity of the crucial enzyme that catalyzes the conversion of linoleic acid to GLA. These include a diet rich in saturated fats and processed vegetable oils, moderate to high alcohol consumption, aging,

diabetic conditions , as well as deficient levels of zinc, vitamin C and vitamin B6.

Inflammatory Balance[†]

EPO plays a key role in supporting normal levels of inflammation in various populations, including adults with blood sugar-related nerve complaints and women with hormonal imbalances. [1-3] The sterols in EPO have been found to promote healthy inflammatory balance by decreasing nitric oxide production, reducing tumor necrosis factor- α , interleukin 1 β and thromboxane B_2 , as well as reducing eicosanoid release by inhibiting cyclooxygenase-2 expression. ^[4]

Joint Health[†]

Both in vitro and animal studies, including well-controlled, randomized clinical studies, suggest clinical benefit to EPO in supporting joint health.^[5] Evidence from seven studies analyzed in a Cochrane review indicate that GLA from evening primrose oil reduces the intensity of joint discomfort and improves joint movement compared to placebo.^[6] A prospective 6-month, double-blind placebo controlled study of 19 patients receiving evening primrose oil (6 g/day), versus 21 subjects who received a placebo of olive oil, showed a significant reduction in morning stiffness at 3 months.^[7]

Skin Health[†]

In a meta-analysis of placebo-controlled studies on skin health, both patient and doctor scores showed a highly significant improvement in skin dryness, scaling and itching in patients given EPO.^[8] A randomized, double-blind, placebo-controlled study of healthy adults testing the effect of EPO (1,500 mg



twice a day for 12 weeks) on skin moisture, trans-epidermal water loss, redness, firmness, elasticity, fatigue resistance and roughness. In this study, it was found that at week 12, all measured variables, except skin redness, were significantly improved in the EPO group compared with placebo. [9] EPO has also been shown to have a stabilizing effect on the stratum corneum barrier of the skin when applied topically as a water-in-oil emulsion. [10]

Directions

1 or more soft gel capsules per day or as recommended by your health care professional.

Does Not Contain

Gluten, corn, yeast, artificial colors and flavors.

Cautions

If you are pregnant or nursing, consult your physician before taking this product.

Supplement Facts Serving Size 1 Soft Gel Capsule Servings Per Container 90 & 180		
1 soft gel capsule contains	Amount Per Serving	% Daily Value
Evening Primrose Seed Oil	1.3 g	*
Gamma-Linolenic Acid (from Evening Primrose Seed Oil)	117 mg	*
* Daily Value not established		

ID# 432090 90 Soft Gel Capsules ID# 432180 180 Soft Gel Capsules

References

- 1. Kim DH1, Yoo TH, Lee SH, Kang HY, Nam BY, Kwak SJ, Kim JK, Park JT, Han SH, Kang SW. Gamma linolenic acid exerts anti-inflammatory and anti-fibrotic effects in diabetic nephropathy. *Yonsei Med J.* 2012 Nov 1;53(6):1165-75.
- 2. Bayles B1, Usatine R. Evening primrose oil. *Am Fam Physician*. 2009 Dec 15;80(12):1405-8.
- 3. De La Puerta Vázquez R1, Martínez-Domínguez E, Sánchez Perona J, Ruiz-Gutiérrez V. Effects of different dietary oils on inflammatory mediator generation and fatty acid composition in rat neutrophils. *Metabolism*. 2004 Jan;53(1):59-65.

- 4. Montserrat-de la Paz S1, Fernández-Arche A, Angel-Martín M, García-Giménez MD. The sterols isolated from Evening Primrose oil modulate the release of proinflammatory mediators. *Phytomedicine*. 2012 Sep 15;19(12):1072-6.
- 5. Belch JJ1, Hill A. Evening primrose oil and borage oil in rheumatologic conditions. *Am J Clin Nutr.* 2000 Jan;71(1 Suppl):352S-6S.
- 6. Cameron M1, Gagnier JJ, Chrubasik S. Herbal therapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev.* 2011 Feb 16;(2):CD002948.
- 7. Brzeski M1, Madhok R, Capell HA. Evening primrose oil in patients with rheumatoid arthritis and side-effects of non-steroidal anti-inflammatory drugs. *Br J Rheumatol.* 1991 Oct;30(5):370-2.
- 8. Morse PF1, Horrobin DF, Manku MS, Stewart JC, Allen R, Littlewood S, Wright S, Burton J, Gould DJ, Holt PJ, et al. Meta-analysis of placebo-controlled studies of the efficacy of Epogam in the treatment of atopic eczema. Relationship between plasma essential fatty acid changes and clinical response. *Br J Dermatol.* 1989 Jul;121(1):75-90.
- 9. Muggli R. Systemic evening primrose oil improves the biophysical skin parameters of healthy adults. *Int J Cosmet Sci.* 2005 Aug;27(4):243-9.
- 10. Gehring W1, Bopp R, Rippke F, Gloor M. Effect of topically applied evening primrose oil on epidermal barrier function in atopic dermatitis as a function of vehicle. *Arzneimittelforschung*. 1999 Jul;49(7):635-42.

