VIRACID





CLINICAL APPLICATIONS

- Provides Immediate Support for Immune Challenges
- Strengthens Immune Function
- Boosts Protective Antioxidant Capacity
- Promotes Healthy Inflammatory Balance

IMMUNE HEALTH

Viracid includes a powerful combination of key nutrients and botanical extracts that provide immediate support for immune challenges. Viracid boosts immune defenses by providing nutrients such as L-lysine vitamins A and C, pantothenic acid, B_{12} , and zinc. Viracid includes the synergistic blend of botanical extracts black elderberry, astragalus, echinacea, and andrographis, all of which have been used traditionally for their clinically effective immunemodulating properties.

Overview

Our body's immune system is a complex and dynamic defense system that comes to our rescue at the first sign of exposure to an outside invader. The dynamic nature of the immune system means that all factors that affect health need to be addressed in order for it to function at peak performance. The immune system is very sensitive to nutrient deficiencies. While vitamin deficiencies can compromise the immune system, consuming immune enhancing nutrients and botanicals can support and strengthen your body's immune response. Viracid's synergistic formula significantly boosts immune cell function including antibody response, natural killer (NK) cell activity, thymus hormone secretions, and T-cell activation. Viracid also helps soothe throat irritations and nasal secretions, and promotes healthy inflammatory balance by increasing antioxidant levels throughout the body.

Immune Nutrition Base⁺

Viracid contains the synergistic nutrient blend of zinc, vitamin C, vitamin A, L-lysine and pantothenic acid which each play a major role in maintaining a healthy, functioning immune system.

Zinc[†]

Zinc is a mineral that works synergistically with vitamin A in activating thymic factor, a thymus hormone with vital immune supporting properties. ^[1] Maintaining optimal zinc levels also helps maintain helper T-cell lymphocyte function, NK cell activity, macrophage function, and antibody production.^[2]

Vitamin C⁺

Vitamin C is well known for its ability to support immune response. Vitamin C concentrations decline rapidly in the body during periods of stress. Dietary intake is therefore crucial during immune challenges. ^[3] Vitamin C has been found to be helpful in supporting specific components of the immune system including NK cell activity and lymphocyte function. ^[3] Vitamin C also provides antioxidant support by protecting cells against reactive oxygen species that are generated during normal inflammatory response. ^[3]

Vitamin A⁺

Vitamin A helps support mucous membranes. When vitamin A is lacking, mucus-producing cells are replaced by keratinproducing cells, and the membranes become tough and more vulnerable to organisms. Vitamin A is a critical immune supporting nutrient.^[4] Vitamin A also supports the immune system by stimulating white blood cell function and increasing antibody response.^[4]

L-Lysine[†]

L-lysine is an essential amino acid that cannot be synthesized in the body on its own. Lysine must be derived from protein sources in the diet in order for the body to function properly. Many biological functions require lysine including boosting immune defense. A study conducted in China examined



the immunological effects of lysine. Of eighty-eight families included in the study, half received wheat flour fortified with 3 g of lysine per kilogram of flour, the other half received wheat flour without fortification. Those given the fortified flour showed improved immune function, versus the placebo group, specifically showing an increase of CD3 T-cells, IgG, IgA, and IgM.^[5]

Pantothenic Acid (vitamin B5)⁺

Pantothenic acid (vitamin B₅) is a water-soluble B complex vitamin. D-calcium pantothenate is a heat stable form of B₅. About 85% of pantothenic acid in food occurs as a component of coenzyme A (CoA). As a component of CoA, pantothenic acid is essential for the production of energy from carbohydrates, fats and protein. Maintaining optimal pantothenic acid levels is crucial for supporting immune system energy, thymic function and healthy white blood cell levels.^[6,7]

Black elderberry Extract⁺

Black elderberry (*Sambucas nigra*) has a long history of traditional use among herbalists and is native to Europe, Northern Africa, and Western and Central Asia. Elderberry preparations range from expressed juice to syrup, tea decoction, powdered extract, and powdered extract in the form of lozenges or capsules. ^[8] The bioactive components of elderberry include the flavonoid anthocyanin. ^[9] Viracid is standardized to include black elderberry extract with 13% anthocyanins. Black elderberry preparations have also been shown to enhance immune cell killing potential by supporting healthy cytokine production, including IL-8 and IL-10, the cellular pathways used to eliminate foreign invaders. ^[10]

Astragalus Membranaceus Root Extract⁺

Astragalus membranaceus is native to northern China and has been traditionally used to strengthen the immune system. ^[11] The root of *A. membranaceus* is one of the two commonly used species in traditional Chinese medicine. Research has demonstrated the immune-regulating effects of astragalus which include boosting T-dependent antigens, and lymphokine-activated killer (LAK) cells and macrophage activity.^[12] Additional studies have demonstrated that *A. membranaceus* root extract supports immune response by boosting T3, T4and T4/T8 cell ratios.^[13]

Echinacea Purpurea Extract⁺

Echinacea purpurea is a perennial herb that has been used for centuries in Native American medicine. Current research has supported echinacea's clinical applications as this botanical has been the subject of more than 300 scientific studies. ^[14,15] Echinacea activates multiple aspects of immune function including enhancing leukocyte and granulocyte counts, activating neutrophils, monocytes, and eosinophils and solubilizing immune complexes. ^[16] Echinacea has been shown to compete with pathogens by blocking viral receptors on cell surfaces. Echinacea also diminishes hyaluronidase, a compound which increases connective tissue permeability and allows pathogenic organisms to become more invasive.^[16]

Andrographis Paniculata Leaf Extract⁺

Andrographis paniculata is a plant that has been used in Asian medicine for centuries. Traditionally, the plant has been used as an infusion, decoction or powder, either alone or in combination with other herbal plants. In a study examining 158 patients, a standardized preparation of *A. paniculat* dried extract administered for five days significantly supported immune response while decreasing throat irritations and nasal secretions. ^[17] An additional study examining the effects of *A. paniculata* found that andrographolide administration significantly improved CD4+ lymphocyte count in patients which immune challenges. ^[18] *A. paniculata* has also been reported to provide strong antioxidant support due to its ability to activate highly protective antioxidant reactions including superoxide dismutase, catalase and glutathione-S-transferase. ^[19]

Directions⁺

For immediate immune support: 1-2 capsules per hour or as recommended by your health care professional.

For immune maintenance: 2 capsules per day or as recommended by your health care professional.

Do not exceed 2 capsules every hour.

Does Not Contain

Gluten, yeast, artificial colors and flavors.

Cautions

Vitamin A is fat-soluble, and can accumulate to potentially harmful levels over time. Do not exceed recommended dosage. Consult your physician before use. Do not consume this product if you are pregnant or nursing.

c	nnl	eme	- nt	Ea	
Su	ppi	eme	ะกเ	Га	CIS

Serving Size 2 Capsules

2 capsules contain	Amount Per Serving	% Daily Value
Vitamin A (as Palmitate, Betatene®Natural M	15,000 IU lixed Caroteno	300% ids)
Vitamin C (as Ascorbic Acid USP, Acerola Fi	300 mg ruit Extract)	500%
Vitamin B12 (as Methylcobalamin)	2.5 mcg	42%
Pantothenic Acid (as d-Calcium Pantothenate USP)	10 mg	100%
Zinc (as TRAACS® Zinc Bisglycinate Chelate)	4 mg	27%
Astragalus membranaceus Root Extract	250 mg	*
European Elder (Sambucus nigra) Berry Extract (Standardized to contain 13% Ant	250 mg hocyanins)	*
Andrographis paniculata Leaf Extr (Standardized to contain 30% And	act 200 mg Irographolides)	*
Echinacea purpurea Extract (Flowering Aerial Parts) (Standardized to contain 4% phen	100 mg ols)	*
L-Lysine Hydrochloride USP	100 mg	*
Acerola Fruit Extract (Standardized to contain 17% Vita	25 mg min C)	*
* Daily Value not established		

ID# 525060 60 Capsules



References

- 1. Dardenne M, Pleau J, Nabarra B, et al. Contribution of zinc and other metals to the biological activity of the serum thymic factor. *Proc Natl Acad Sci* 1982;5370-3.
- 2. PDR Health: Zinc. www.pdrhealth.com.
- 3. Wintergerst ES, Maggini S, Hornig DH. Immuneenhancing role of vitamin C and zinc and effect on clinical conditions. *Ann Nutr Metab* 2006;50(2):85-94.
- 4. Vitamin A. Integrative Medicine: Integrative Medicine Communications; 2000.
- 5. Zhao W, Zhai F, Zhang D, et al. Lysine-fortified wheat flour improves the nutritional and immunological status of wheat-eating families in northern China. *Food Nutr Bull* Jun 2004;25(2):123-129.
- Melampy RM, Cheng DW, Northrop LC. Effect of pantothenic acid deficiency upon adrenal cortex, thymus, spleen, and circulating lymphocytes in mice. *Proc Soc Exp Biol Med* 1951;76:24-27.
- 7. Mahboob S. Thymic weight in pantothenic acid deficiency. *Nutr Metab* 1976;20:272-277.
- The American Botanical Council. The ABC Clinical Guide to Elder Berry. 2004;http://abc.herbalgram.org/site/ DocServer/Elderberry-scr.pdf?docID=165.
- 9. Monograph. Sambucus nigra (elderberry). *Altern Med Rev* Mar 2005;10(1):51-54.
- 10. Barak V, Birkenfeld S, Halperin T, Kalickman I. The effect of herbal remedies on the production of human inflammatory and anti-inflammatory cytokines. *Isr Med Assoc J* 2002;4(11 Suppl):919-22.
- 11. Tan BK, Vanitha J. Immunomodulatory and antimicrobial effects of some traditional chinese medicinal herbs: a review. *Curr Med Chem* 2004;11(11):1423-1430.
- 12. Kemper K, Small R. Astragalus (Astragalus membranaceous).1999.http://www.longwoodherbal. org/.
- Sinclair S. Chinese herbs: a clinical review of Astragalus, Ligusticum, and Schizandrae. *Altern Med Rev* 1998;3(5):338-344.
- 14. Berrett B. Medicinal properties of *Echinacea*: a critical review. *Phytomedicine* 2003;10:66-896.
- 15. Percival SS. Use of Echinacea in medicine. *Biochem Pharmacol* 2000;60:155-158.
- 16. Pizzorno JE, Murray MT. Textbook of Natural Medicine. (2013) St. Louis, MO: Churchill Livingstone.

- 17. Cáceres DD, Hancke JL, Burgos RA, et al. Use of visual analogue scale measurements (VAS) to assess the effectiveness of standardized Andrographis paniculata extract SHA-10 in reducing the symptoms of common cold. *Phytomedicine* 1999;6:217-223.
- 18. Calabrese C, Berman SH, Babish, SH, Babish JG, et al. A phase I trial of andrographolide in HIV positive patients and normal volunteers. *Phytother Res* 2000; 14:333-338.
- 19. Verma N, Vinayak M. Antioxidant action of *Andrographis* paniculata on lymphoma. *Mol Biol Rep* 2008; 35:535-540.



